

OSBORN
PRO



Individual
Trading Concepts

OSBORN
INTERNATIONAL



OSBORN PRO

Sets & Assortments

Top products require appropriate packing - OSBORN delivers all wheel-, cup- and bevel brushes in popular assortments with perfect equipment:

Marking - complete!

An EAN barcode is printed on each carton - this simplifies stock movements and the sale at the till.

Product info - comprehensive!!

Cut-outs in the carton enable the customer to see product details and the quality of the brush - additional product descriptions and important safety instructions are printed on each package.

Sales promotion - professional!

The OSBORN PRO line contains attractive display boxes for the presentation of promotion articles - tailored to meet individual needs.

Packing - functional!

All PRO assortments are supplied with Euro-holes for mounting on hooks of all customary sales shelves.

Presentation - optimal!

The packaging of OSBORN products is optimized with regard to size and stability. The slimline design allows large quantities to be stacked easily and the turnover per m² sales space can be increased noticeably.

With the OSBORN PRO assortment line you can offer your customer top quality products at the highest sales level.



OSBORN Private Label Individual Sets & Concepts

Do you want to address a specific target group or to present a product line completely different? This is no problem with the individual OSBORN assortments.

To stand out with the packing!

We develop individual packing solutions according to your ideas and provide the range of OSBORN products you sell with an outstanding appearance.

Minimum order quantities - as much as you need!!

Apart from individual packaging, we also supply OSBORN PRO assortments in small minimum order quantities.

Flexibility belongs to our business!

Our logistics provides you just-in-time with the optimal merchandise volume and the required product-mix.

You can make use of our experience!

Talk to our experienced sales team. We will find the suitable assortment mix for your customers.

Special cases and sales campaigns are good!

Do you plan a sales campaign for a specific target group or do your customers have special demands? We react promptly and arrange an individual brush assortment for you.

OSBORN is open to your individual requirements and also supplies extraordinary assortment-solutions for your sales success.



OSBORN Concept

Display walls & Presenters

OSBORN International has been the leading manufacturer and distributor of industrial brushes for over 100 years. Our worldwide manufacturing facilities, gives us a global overview of markets and new developments.

Our extensive range of catalogue products for every application is available and our international manufacturing locations ensure fast delivery and competitive pricing.

Stock at our manufacturing locations guarantee supply to market places worldwide, reducing your costs for stocking holding, whilst remaining flexible.

OSBORN sales engineers are available to answer your technical questions and to advise on appropriate products to achieve your required finish.

Target customer orientated, together we can develop the most suitable product range for your business.

Only if your customer can identify with the products, we will be successful.

Contact us at OSBORN for help and advice on your surface finishing requirements: 0049 (0) 64 51 588 0



OSBORN Competence

Experience & Information

Product development and continual improvement of existing products ensure OSBORN remain the market leader in industrial brushes. Our International sales team are constantly striving for new solutions and developments in surface treatment. Regular contact with end users ensures OSBORN's ability to resolve application problems and to keep up to date with market trends.

Promotion of new products has also proven very successful, and growth in turnover of 100% can be achieved through regular sales promotions.


OSBORN understands that a trained, knowledgeable sales

team is very important for business development. Our sales team are expert in all product applications and this expertise gives an advantage over competitors and represents our company as a leading organisation.

We therefore invite our customers to workshops at our premises to discuss their requirements with our experienced sales staff.

Only companies that continue to evolve and develop will be able to fulfil the requirements of the marketplace. Working with OSBORN International will ensure you will always be one step ahead.

Brushes for bench grinders



Wheel brushes, crimped wire

Area of application generally	Roughening, deburring, removing lacquer, de-scaling, depolishing, cleaning
Area of application particularly	All-round brush with medium fill density for medium to heavy brush applications. Multiple row brushes are best for treating larger surface areas because of their wider face width.

							Steel wire				
Dimensions [mm]			Arbor hole*[mm]		max. min ⁻¹	Pack. Qty.	0,30 mm Item No.				
D	A	T	B min.	B max.			R				
125	22	30	20	30	6.000	1	9902-532	162			
150	30	29	31,75	50,80	6.000	1	9902-544	162			
178	32	38	31,75	50,80	6.000	1	9902-554	162			
200	30	38	31,75	80	4.500	1	9902-566	162			


*Other arbor holes on request!

Important! A special feature is the range of bore adapters supplied with each other

75 - 125 mm: 20 mm = 1/2"; 20 mm = 5/8"

150 - 200 mm: 31,75 mm = 13mm; 31,75 mm = 15 mm; 31,75 mm = 16 mm; 31,75 mm = 19 mm; 31,75 mm = 20 mm; 31,75 mm = 7/8"; 31,75 mm = 1"


Brushes for angle grinders



Wheel brushes, knotted wire

Area of application generally	Deburring, removing lacquer, derusting, removing slag, de-scaling, cleaning
Area of application particularly	Brushes for extreme applications for use at high surface speeds. The orientation of the knots has been designed for all possible applications.

							Steel wire		Steel wire			
Dimensions [mm]			Arbor hole [mm]		Thread G	Adapter	max. min ⁻¹	Pack. Qty.	0,35 mm Item No.		0,50 mm Item No.	
D	A	T	B min.	B max.								
115	12	23	22,2			K	12.500	1	0002-631	131	0002-631	151
115	12	23			M14x2,0		12.500	10	0402-631	131	0402-631	151
125	13	28	22,2			K	12.500	1	6152-631	131	2202-631	151
125	13	28			M14x2,0		21.500	10	1402-631	131	1402-631	151
178	13	42	22,2			K	12.500	1	0002-653	131	0002-653	151




Wheel brushes, cord wire

Area of application generally	Cleaning, removing lacquer, derusting, removing slag
Area of application particularly	Brush for medium to heavy applications. For homogenous bright surfaces. For roughening/removing rubber, wood graining.

							Cordwire				
Dimensions [mm]			Thread G	max. min ⁻¹	Pack. Qty.	0,27 mm Rusticord Item No.					
D	A	T									
100	12	20	M14x2,0	12.000	1	2802-522	051				
115	12	28	M14x2,0	12.000	1	2812-522	051				


Other dimensions and wire sizes on request! The standard stocked items are printed in **bold type!** Thin printed items are deliverable within one week!



Cup brushes, knotted wire

Area of application generally	Deburring, removing lacquer, derusting, removing slag, de-scaling, cleaning
Area of application particularly	Aggressive tools for heavy cleaning jobs on flat surfaces.


Dimensions [mm]		Thread	max. min ⁻¹	Pack. Qty.	Steel wire 0,50 mm Item No.	Stainless steel wire 0,35 mm Item No.	Steel wire in display box content 12 pcs. 0,50 mm Item no.
D	T	G					
65	20	M14x2,0	12.500	1	0002-608 151	0002-608 331	8902-608 151



Cup brushes, knotted wire

Area of application generally	Deburring, removing lacquer, derusting, removing slag, de-scaling, cleaning
Area of application particularly	Aggressive tools for heavy cleaning jobs and brushing large surfaces. The removable bridle controls the flexibility of the brush.

Dimensions [mm]		Thread	max. min ⁻¹	Pack. Qty.	Steel wire 0,50 mm Item No.	Stainless steel wire 0,35 mm Item No.
D	T	G				
75	20	M14x2,0	11.000	1	0008-608 152	
80	20	M14x2,0	8.500	1	0002-608 153	0002-608 333
100	20	M14x2,0	8.500	1	0002-608 154	
120	20	M14x2,0	6.500	1	0002-608 155	




Cup brushes, crimped wire

Area of application generally	Roughening, deburring, removing lacquer, derusting, de-scaling, depolishing, cleaning
Area of application particularly	Brushes for easy to medium cleaning jobs, for treatment of large surfaces, e.g. removal of rust films.

Dimensions [mm]		Thread	max. min ⁻¹	Pack. Qty.	Steel wire 0,50 mm Best.-Nr.	Stainless steel wire 0,30 mm Best.-Nr.
D	T	G				
60	21	M14x2,0	12.500	1	0002-613 161	0002-613 361
75	23	M14x2,0	12.500	1	0002-613 162	0002-613 362
80	25	M14x2,0	8.500	1	0002-613 163	0002-613 363
100	30	M14x2,0	8.500	1	0002-613 164	
125	30	M14x2,0	8.500	1	0002-613 165	


Other dimensions and wire sizes on request! The standard stocked items are printed in **bold type!** Thin printed items are deliverable within one week!



Bevel brushes, knotted wire

Area of application generally	Deburring, removing lacquer, derusting, removing slag, de-scaling, cleaning
Area of application particularly	Brushes for versatile use in heavy cleaning applications. Due to their shape these brushes are ideal for brushing hard-to-reach areas. For cleaning panels boards.

Dimensions [mm]				Thread G	max. min ⁻¹	Pack. Qty.	Steel wire	Steel wire in display box content 12 pcs.		
D	A	T	0,50 mm Item No.				0,50 mm Item No.			
100	22	13		M10x1,5	12.500	6	7102-622 151	8912-622 151		
100	22	13		M14x2,0	12.500	6	7002-622 151	8902-622 151		
115	20	15		M14x2,0	12.500	6	7002-632 151	8902-632 151		




Bevel brushes, crimped wire

Area of application generally	Roughening, deburring, removing lacquer, derusting, de-scaling, depolishing, cleaning
Area of application particularly	Brushes for versatile use in heavy cleaning applications. Due to their shape these brushes are ideal for brushing hard-to-reach areas.

Dimensions [mm]				Thread G	max. min ⁻¹	Pack. Qty.	Steel wire	Steel wire in display box content 12 pcs.		
D	A	T	0,30 mm Item No.				0,30 mm Item No.			
100	20	10		M10x1,5	12.500	6	7012-512 161	8913-512 161		
100	20	10		M14x2,0	12.500	6	7002-512 161	8903-512 161		

Brushes for portable hand drills




Wheel brushes, knotted wire

Area of application generally	Deburring, removing lacquer, derusting, removing slag, de-scaling, cleaning of weld seams
Area of application particularly	Brushes for extreme applications for use at high surface speeds

Dimensions [mm]			Shank-Ø mm	max. min ⁻¹	Pack. Qty.	Steel wire	Steel wire in display box content 36 pcs.		
D	T	A				0,50 mm Best.-Nr.	0,35 mm Best.-Nr.		
75	18	12	6	20.000	6	7202-611 151	36 Stück: 8902-611 151		


Other dimensions and wire sizes on request! The standard stocked items are printed in **bold type!** Thin printed items are deliverable within one week!



Wheel brushes, crimped wire

Area of application generally	Roughening, deburring, removing lacquer, removing slag, de-scaling, depolishing, cleaning, bright homogeneous surfaces
Area of application particularly	Due to their small diameter these brushes are ideal for brushing hard-to-reach areas.

Dimensions [mm]				Shank-Ø mm	max. min ⁻¹	Pack. Qty.	Steel wire	Steel wire in display box content 36 pcs.	Stainless Steel wire	Brass wire
D	T	A	0,30 mm Item No.				0,30 mm Item No.	0,30 mm Item No.	0,20 mm Item No.	
70	15	18		6	15.000	6	7602-506 162	8902-506 162	7002-506 362	7002-506 542




Wheel brushes, crimped wire

Area of application generally	Deburring, removing lacquer, derusting, removing slag, de-scaling, cleaning
Area of application particularly	Brush with medium fill density, for cleaning jobs such as removing paint, rust, scale, incrustations and burrs - with efficient brushing results.

Dimensions [mm]				Shank-Ø mm	max. min ⁻¹	Pack. Qty.	Steel wire	Steel wire	Brass wire
D	T	A	coarse Item No.				fine Item No.	fine Item No.	
50	10	7		6	4.500	6	7003-600 221	7003-600 211	
60	13	9		6	4.500	6	7003-600 321	7003-600 311	
75	16	15		6	4.500	6	7003-600 421	7003-600 411	7023-600 451
100	22	12		6	4.500	6	7003-600 521	7003-600 511	

Dimensions [mm]				Shank-Ø mm	max. min ⁻¹	Pack. Qty.	Steel wire in display box content 36/12 pcs. coarse Item No.	Steel wire in display box content 36/12 pcs. fine Item No.	Brass wire in display box content 36 pcs. fine Item No.
D	T	A	coarse Item No.				fine Item No.	fine Item No.	
50	10	7		6	4.500	1	36 pcs.: 8903-600 221	36 pcs.: 8903-600 211	
60	13	9		6	4.500	1	36 pcs.: 8903-600 321	36 pcs.: 8903-600 311	
75	16	15		6	4.500	1	36 pcs.: 8904-600 421	36 pcs.: 8904-600 411	36 pcs: 8903-600 451
100	22	12		6	4.500	1	12 pcs.: 8904-600 521	12 pcs.: 8904-600 511	




Wheel brushes, crimped wire, plastic-bonded

Area of application generally	Deburring, removing lacquer, derusting, removing slag, de-scaling, cleaning
Area of application particularly	Advantages of these brushes: TÜV-examined (association for technical inspection), tenfold brush life, wire does not break.

Dimensions [mm]				Shank-Ø mm	max. min ⁻¹	Pack. Qty.	Brass coated Steel wire	Brs.ctd. Steel wire in display box content 36 pcs.
D	T	A	0,30 mm Item No.				0,30 mm Item No.	
63	20	8		6	15.000	6	7002-911 941	8902-911 941
76	26	8		6	15.000	6	7002-911 951	8902-911 951


Other dimensions and wire sizes on request! The standard stocked items are printed in **bold type!** Thin printed items are deliverable within one week!



Wheel brushes, abrasive filament, aluminiumoxide

Area of application generally	Removing lacquer, dedusting, smoothing, depolishing, cleaning, wood graining
Area of application particularly	The fill material of these brushes adapts itself ideally to the profile of the work piece, without damaging the surface.


Dimensions [mm]				Shank-Ø mm	max. min ⁻¹	Pack. Qty.	Abrasive filament	Abrasive filament	Abrasive filament	Abrasive filament
D	T	A	red, grit 80 Item No.				blue, grit 180 Item No.	in display box content 36/12 pcs. red, grit 80 Item No.	in display box content 36/12 pcs. blue, grit 180 Item No.	
75	16	10	6	15.000	6	7802-600 491	7182-600 491	36 pcs.: 0894-600 491	36 pcs.: 1894-600 491	
100	23	10	6	15.000	6	7802-600 591	7182-600 591	12 pcs.: 0894-600 591	12 pcs.: 1894-600 591	



Flap brushes, abrasive filament, aluminiumoxide

Area of application generally	Removing lacquer, dedusting, smoothing, depolishing, cleaning, wood graining
Area of application particularly	The fill material of these brushes adapts itself ideally to the profile of the work piece, without damaging the surface.


Dimensions [mm]				Shank-Ø mm	max. min ⁻¹	Pack. Qty.	Abrasive filament	Abrasive filament	Abrasive filament	Abrasive filament
D	T	A	red, grit 80 Item No.				blue, grit 180 Item No.	in display box content 12 pcs. red, grit 80 Item No.	in display box content 12 pcs. blue, grit 180 Item No.	
100	25	20	6	3.500	5	7801-401 912	7811-401 912	0892-401 912	1892-401 912	



Brushes for wood graining, cordwire

Area of application generally	Wood graining
Area of application particularly	Cordwire = brass coated steel wire, bundled, gives good abrasion on both soft and hard woods

Dimensions [mm]				Shank-Ø mm	max. min ⁻¹	Pack. Qty.	Cordwire	Cordwire		
D	T	A	0,25 mm Item No.				in display box content 8 pcs. 0,25 mm Item No.			
80	25	35	8	4.000	5	7003-507 061	8903-507 061			




Cup brushes, knotted wire

Area of application generally	Roughening, deburring, removing lacquer, descaling, cleaning
Area of application particularly	Brush for extreme applications. For brushing flat surfaces.

Dimensions [mm]				Shank-Ø mm	max. min ⁻¹	Pack. Qty.	Steel wire	Steel wire		
D	T	A	0,50 mm Item No.				in display box content 24 pcs. 0,50 mm Item No.			
60	23		6	6.000	6	7004-608 151	8904-608 151			

Other dimensions and wire sizes on request! The standard stocked items are printed in **bold type!** Thin printed items are deliverable within one week!




Cup brushes, crimped wire

Area of application generally	Deburring, removing lacquer, derusting, removing slag, de-scaling, cleaning
Area of application particularly	Brush with medium fill density, for cleaning jobs such as removing paint, rust, scale, incrustations and burrs - with efficient brushing results.

				Steel wire	Steel wire	Brass wire		
Dimensions [mm]		Shank-Ø mm	max. min ⁻¹	Pack. Qty.	coarse Item No.	fine Item No.	fine Item No.	
D	T							
50	17	6	4.500	6	7003-600 821	7003-600 811	7023-600 851	
75	20	6	4.500	6	7003-600 921	7003-600 911		


				Steel wire in display box content 36/24 pcs.	Steel wire in display box content 36/24 pcs.	Brass wire in display box content 36 pcs.		
Dimensions [mm]		Shank-Ø mm	max. min ⁻¹	Pack. Qty.	coarse Item No.	fine Item No.	fine Item No.	
D	T							
50	17	6	4.500	1	36 pcs.: 8904-600 821	36 pcs.: 8904-600 811	36 pcs.: 8903-600 851	
75	20	6	4.500	1	24 pcs.: 8904-600 921	24 pcs.: 8904-600 911		



Cup brushes, crimped wire plastic-bonded

Area of application generally	Deburring, removing lacquer, derusting, removing slag, de-scaling, cleaning
Area of application particularly	Advantages of these brushes: TÜV-examined (association for technical inspection), tenfold brush life, wire does not break.

				Brass coated Steel wire			
Dimensions [mm]		Shank-Ø mm	max. min ⁻¹	Pack. Qty.	0,30 mm Item No.		
D	T						
50	15	6	15.000	6	7002-930 821		




Cup brushes, abrasive filament, aluminiumoxide

Area of application generally	Removing lacquer, dedusting, smoothing, depolishing, cleaning, wood graining
Area of application particularly	The fill material of these brushes adapts itself ideally to the profile of the work piece, without damaging the surface.

				Abrasive filament	Abrasive filament	Abrasive filament in display box content 36/24 pcs.	Abrasive filament in display box content 36/24 pcs.	
Dimensions [mm]		Shank-Ø mm	max. min ⁻¹	Pack. Qty.	red, grit 80 Item No.	blue, grit 180 Item No.	red, grit 80 Item No.	blue, grit 180 Item No.
D	T							
50	17	6	4.500	6	7802-600 891	7182-600 891	36 pcs.: 0894-600 891	36 pcs.: 1894-600 891
75	23	6	4.500	6	7802-600 991	7182-600 991	24 pcs.: 0894-600 991	24 pcs.: 1894-600 991


Other dimensions and wire sizes on request! The standard stocked items are printed in **bold type!** Thin printed items are deliverable within one week!



End brushes, crimped wire

Area of application generally	Roughening, deburring, removing lacquer, removing slag, de-scaling, depolishing, cleaning
Area of application particularly	For removing burrs, rust, cinder, scale, paint, excess rubber, residues of combustion and other heavy contamination in hard-to-reach areas and internal surfaces.


Dimensions [mm]				Shank-Ø mm	max. min ⁻¹	Pack. Qty.	Steel wire		Steel wire in display box content 36 pcs. coarse Item No.		
D	T	K	L				coarse Item No.	coarse Item No.			
17	25	15	45	6	4.500	8	7002-509 162				
25	30	24	50	6	4.500	8	7002-509 163	8902-509 163			
30	35	29	50	6	4.500	8	7002-509 164				



End brushes, crimped wire, plastic-bonded

Area of application generally	Deburring, removing lacquer, derusting, removing slag, de-scaling, cleaning
Area of application particularly	Advantages of these brushes: TÜV-examined (association for technical inspection), tenfold brush life, wire does not break.

Dimensions [mm]				Shank-Ø mm	max. min ⁻¹	Pack. Qty.	Brass coated Steel wire				
D	T	K	L				0,30 mm Item No.				
17	24	16	43	6	15.000	8	7002-930 902				
24	23	23	43	6	15.000	8	7002-930 907				
31	23	29	43	6	15.000	8	7002-930 912				




End brushes, abrasive filament, aluminiumoxide

Area of application generally	Removing lacquer, dedusting, smoothing, depolishing, cleaning, wood graining
Area of application particularly	The fill material of these brushes adapts itself ideally to the profile of the work piece, without damaging the surface.

Dimensions [mm]				Shank-Ø mm	max. min ⁻¹	Pack. Qty.	Abrasive filament		Abrasive filament		Abrasive filament in display box content 36 pcs.		Abrasive filament in display box content 36 pcs.	
D	T	K	L				red, grit 80 Item No.	blue, grit 180 Item No.	red, grit 80 Item No.	blue grit 180 Item No.	red, grit 80 Item No.	blue grit 180 Item No.		
25	25	22	50	6	4.500	8	7812-509 913	7802-509 913	0894-509 913				1894-509 913	

Other dimensions and wire sizes on request! The standard stocked items are printed in **bold type!** Thin printed items are deliverable within one week!

Tube brushes, crimped wire



Area of application generally	Tube cleaning, deburring, removing lacquer, derusting, cleaning
Area of application particularly	Cylindrical tube brushes with two or four twisted wires. Cleaning of capacitors and heating tubes.

				Steel wire			
Dimensions [mm]				0,30 mm		Steel wire in display box content 24 pcs.	
D	Shank-Ø mm	max. min ⁻¹	Pack. Qty.	Item No.	Item No.		
16	6	4.500	8	7002-809 116	8902-809 116		
25	6	4.500	8	7002-809 125	8902-809 125		
32	6	4.500	8	7002-809 132	8902-809 132		

Multipacks for portable hand drills



"Do-It-Yourself" - Brushes, crimped wire

Area of application generally	Deburring, removing lacquer, derusting, de-scaling, cleaning
Content: 36 pcs.	12 Wheel brushes (6x 0008-600 421, 3x 0003-600 511, 3x 0008-600 522) 18 Cup brushes (3x 0003-600 811, 6x 0008-600 821, 3x 0003-600 911, 6x 0008-600 921) 6 End brushes (6x 0008-509 164)

				Steel wire			
Dimensions [mm]				0,20 - 0,30 mm			
D	Shank-Ø mm	max. min ⁻¹	Pack. Qty.	Item No.			
Divers	6	4.500	1	0002-600 004			



"Do-It-Yourself" - Brushes, crimped wire

Area of application generally	Deburring, removing lacquer, derusting, de-scaling, cleaning
Content: 36 pcs.	26 Wheel brushes (10x 0008-600 221, 10x 0008-600 321, 6x 0008-600 421) 10 Cup brushes (10x 0008-600 821)

				Steel wire			
Dimensions [mm]				0,20 - 0,30 mm			
D	Shank-Ø mm	max. min ⁻¹	Pack. Qty.	Item No.			
Divers	6	4.500	1	8904-600 001			

Other dimensions and wire sizes on request! The standard stocked items are printed in **bold type!** Thin printed items are deliverable within one week!



Security brushes, crimped wire, plastic-bonded

Area of application generally	Deburring, removing lacquer, derusting, removing slag, de-scaling, cleaning		
Content: 48 pcs.	12 Wheel brushes	(7002-911 941)	
	12 Cup brushes	(7002-930 821)	
	24 End brushes	(7002-930 907)	

Dimensions [mm] D	Shank-Ø mm	max. min ⁻¹	Pack. Qty.	Brass coated Steel wire 0,30 mm Item No.
Divers	6	15.000	1	8902-600 002




Security brushes, crimped wire, plastic-bonded

Area of application generally	Deburring, removing lacquer, derusting, removing slag, de-scaling, cleaning		
Content: 36 pcs.	12 Wheel brushes	(7002-911 934)	
	12 End brushes	(7002-930 902)	
	12 End brushes	(7002-930 912)	

Dimensions [mm] D	Shank-Ø mm	max. min ⁻¹	Pack. Qty.	Brass coated Steel wire 0,30 mm Item No.
Divers	6	15.000	1	8902-600 004

Abrasive materials




Abrasive discs STF

Area of application generally	Grinding, deburring, removing lacquer, derusting, de-scaling, smoothing
Area of application particularly	Abrasive discs achieve an extremely high metal removal rate and are particularly suited for treating stainless steel.

Dimensions [mm] D	Arbor hole [mm] B	max. min ⁻¹	Pack. Qty.	Zircon corundum Grain 40 Item No.	Zircon corundum Grain 60 Item No.	Zircon corundum Grain 80 Item No.
115	22,2	13.300	10	7003-003 114	7003-003 116	7003-003 118

Dimensions [mm] D	Arbor hole [mm] B	max. min ⁻¹	Pack. Qty.	Normal corundum Grain 60 Item No.	Normal corundum Grain 80 Item No.
115	22,2	13.300	10	7013-003 118	7013-003 111


Other dimensions and wire sizes on request! The standard stocked items are printed in **bold type!** Thin printed items are deliverable within one week!



Flap wheels

Area of application generally	Grinding, deburring, removing lacquer, derusting, de-scaling, smoothing
Area of application particularly	Flap wheels are suited for surface finishing of most component parts out of steel, non ferrous metals, wood and hard plastics.

				Aluminiumoxide		Aluminiumoxide		Aluminiumoxide in displa box content 30/20 pcs.		Aluminiumoxide in display box content 30/20 pcs.	
Dimensions [mm]		Shank-Ø mm	max. min ⁻¹	Pack. Qty.	Grit 60	Grit 120	Grit 60	Grit 120			
D	A				Item No.	Item No.	Item No.	Item No.			
40	15	6	17.000	6	7063-004 015	7123-004 015	30 pcs.: 8903-004 015	30 pcs.: 8913-004 015			
50	20	6	14.000	6	7063-005 020	7123-005 020	30 pcs.: 8903-005 020	30 pcs.: 8913-005 020			
60	30	6	11.000	6	7063-006 030	7163-006 030	20 pcs.: 8903-006 030	20 pcs.: 8913-006 030			




Flap wheels, abrasive fleece

Area of application generally	Removing lacquer, derusting, de-scaling, smoothing, depolishing
Area of application particularly	Flap wheels of abrasive fleece are especially suited for surface cleaning. On metal surfaces, they produce a grinding finish with a high density.

				Aluminiumoxide		Aluminiumoxide in display box content 30/20/8 pcs.	
Dimensions [mm]		Shank-Ø mm	max. min ⁻¹	Pack. Qty.	coarse	coarse	
D	A				Item No.	Item No.	
50	20	6	14.000	6	7083-305 020	30 pcs.: 8903-305 020	
60	30	6	11.000	6	7083-306 030	20 pcs.: 8903-306 030	
80	30	6	8.000	6	7083-308 030	8 pcs.: 8903-308 030	

Hand scratch brushes



Hand scratch brushes, crimped wire


universal design

Area of application generally	Derusting, dedusting, cleaning
Area of application particularly	The brush back is made of strong steel fitted with a shaped handle. Can be used for both light and heavy cleaning and also in narrow places.

				Steel wire		Stainless steel wire		Brass wire	
Dimensions [mm]			Rows	Pack. Qty.	0,30 mm	0,30 mm	0,30 mm		
A	T	L			Item No.	Item No.	Item No.		
140	25	165	1	24	0008-462 291	0008-462 391	0008-462 591		

				Steel wire in display box content 24 pcs.		Stainl. Steel wire in display box content 24 pcs.		Brass wire in display box content 24 pcs.	
Dimensions [mm]			Rows	Pack. Qty.	0,30 mm	0,30 mm	0,30 mm		
A	T	L			Item No.	Item No.	Item No.		
140	25	165	1	1	8003-462 291	8003-462 391	8003-462 591		


Other dimensions and wire sizes on request! The standard stocked items are printed in **bold type**! Thin printed items are deliverable within one week!



Hand scratch brushes, straight and crimped wire with plastic handle

Area of application generally	Derusting, dedusting, cleaning
Area of application particularly	Brushes ideal for versatile use in light rust removal and cleaning applications.


				Steel wire	Stainless steel wire	Brass wire	
Dimensions [mm]				straight 0,35 mm	straight 0,30 mm	crimped 0,20 mm	
A	T	L	Rows	Item No.	Item No.	Item No.	
100	23	280	1	0001-433 521			
100	23	280	2	0008-462 132	0008-451 332	0008-447 572	
100	23	280	3	0008-462 133	0008-451 333	0008-447 573	
100	23	280	4	0008-462 134	0008-451 334	0008-447 574	
100	23	280	5	0008-462 135			



Hand scratch brushes, straight and crimped wire with plastic shoe handle

Area of application generally	Derusting, dedusting, cleaning
Area of application particularly	Brushes ideal for versatile use in light rust removal and cleaning applications. Very gentle cleaning with synthetic fill material.

				Steel wire	Nylon (white)	PVC (black)	
Dimensions [mm]				straight 0,35 mm	straight 0,30 mm	straight 0,20 mm	
A	T	L	Rows	Item No.	Item No.	Item No.	
140	23	280	1	0001-433 521	0001-433 501	0001-433 511	
140	23	280	2	0001-433 522	0001-433 502	0001-433 512	
140	23	280	3	0001-433 523	0001-433 503	0001-433 513	




Hand scratch brushes, straight and crimped wire with non-skid handle

Area of application generally	Derusting, dedusting, cleaning
Area of application particularly	The curved handle of non-skid material prevents injuring of fingers and back of the hand.

				Steel wire	Stainless steel wire	Brass wire	
Dimensions [mm]				straight 0,35 mm	straight 0,35 mm	straight 0,20 mm	
A	T	L	Rows	Item No.	Item No.	Item No.	
110	23	270	1	0001-432 601	0001-432 611	0001-432 621	
110	23	270	2	0001-432 602	0001-432 612	0001-432 622	
110	23	270	3	0001-432 603	0001-432 613	0001-432 623	
110	23	270	4	0001-432 604	0001-432 614	0001-432 624	
110	23	270	5	0001-432 605	0001-432 615	0001-432 625	


Other dimensions and wire sizes on request! The standard stocked items are printed in **bold type!** Thin printed items are deliverable within one week!



Brake shoe cleaning brushes, straight and crimped wire with plastic handle

Area of application generally	Derusting and cleaning
Area of application particularly	Ideally suited brush form for cleaning brake shoes.


					Steel wire	Steel wire	Brass wire	
Dimensions [mm]			Rows	Pack. Qty.	straight 0,30 mm Item No.	crimped 0,35 mm Item No.	crimped 0,30 mm Item No.	
A	T	L						
95	23	245	2	10	3301-462 122	3301-462 162	3301-462 562	



Hand scratch brushes, straight and crimped wire with wooden handle

Area of application generally	Derusting, derusting, cleaning
Area of application particularly	Brush body is made of first class hardwood with rounded edges and 10 mm suspension hole. The professional brush can be used for most rust removal and cleaning applications. Brushes filled with stainless steel (quality 1.4571) are non-magnetic.

					Steel wire	Stainless steel wire	Stainless steel wire	Brass coated steel wire	Brass wire
Dimensions [mm]			Rows	Pack. Qty.	straight 0,35 mm Item No.	straight 0,30 mm Item No.	crimped 0,30 mm Item No.	straight 0,30 mm Item No.	crimped 0,30 mm Item No.
A	T	L							
140	23	285	1	12	0001-152 131				
145	25	295	2	100	0001-151 132			0001-151 022	
145	25	295	2	12	0001-152 132	0001-151 332	0001-151 392	0001-152 022	0001-150 592
145	25	295	3	100	0001-151 133			0001-151 023	
145	25	295	3	12	0001-152 133	0001-151 333	0001-151 393	0001-152 023	0001-150 593
140	23	285	4	100	0001-151 134			0001-151 024	
145	25	295	4	12	0001-152 134	0001-151 334	0001-151 394	0001-152 024	0001-150 594
145	25	295	5	100	0001-151 135			0001-151 025	
145	25	295	5	12	0001-152 135	0001-151 335	0001-151 395	0001-152 025	0001-150 595
145	25	295	6	100	0001-151 136				
145	25	295	6	12	0001-152 136	0001-151 336	0001-151 396		0001-150 596




Sparkplug brushes, crimped brass wire with wooden and plastic handle

Area of application generally	Cleaning
Area of application particularly	Cleaning of sparkplugs

					Brass wire Body: wood	Brass wire Body: plastic			
Dimensions [mm]				Rows	Pack. Qty.	0,20 mm Item No.	0,20 mm Item No.		
A	T	L	B						
25	15	100	16	2x5	50	0003-131 572			
33	15	180	15	3x5	24		0008-432 573		
45	18	200	18	3x6	24	0003-133 573			
50	20	195	26	5x8	24	0003-134 575			


Other dimensions and wire sizes on request! The standard stocked items are printed in **bold type!** Thin printed items are deliverable within one week!



File card, scratching belt with wooden and plastic handle

Area of application generally	Cleaning
Area of application particularly	Cleaning of files.

Dimensions [mm]				Pack. Qty.	Scratching belt Body: wood	Scratching belt Body: plastic		
A	L	B	straight Item No.		straight Item No.			
100	235	25	12	0003-140 101				
115	235	40	12	0003-140 102				
165	300	40	12	0003-140 103				
115	235	55	12	0003-140 104				
75	235	50	12			3008-140 103		
115	235	50	12			3008-140 102		




Belgium wire scratch brushes, straight wire with wooden body and plastic handle

Area of application generally	Cleaning
-------------------------------	----------

Dimensions [mm]					Row	Pack. Qty.	Steel wire with intermediate board*	Steel wire without intermediate board		
A	T	L	B	0,35 mm Item No.			0,35 mm Item No.			
190	40	205	60	5	10	0281-307 095	7601-306 095			

*The fill material length can be changed with the intermediate board.




Wire scratch brushes, straight wire with wooden handle, violin-shaped

Area of application generally	Cleaning
-------------------------------	----------

Dimensions [mm]					Row	Pack. Qty.	Steel wire	Brass coated steel wire	Stainless steel wire	
A	T	L	B	0,35 mm Item No.			0,30 / 0,38 mm Item No.	0,35 mm Item No.		
170	35	210	59/51	5	10	0001-179 097	0001-179 297	0001-179 397		


Other dimensions and wire sizes on request! The standard stocked items are printed in **bold type!** Thin printed items are deliverable within one week!



Dusters, brown nylon (Korfil-D) with wooden body

Area of application generally	Dedusting, cleaning
-------------------------------	---------------------

Dimensions [mm]				Pack. Qty.	Korfil-D		Korfil-D in display box content 12 pcs.
A	T	L	B		Item No.	Item No.	
165	60	310	35	10	0181-110 924	8902-600 003	



Floor brooms, brown nylon (Korfil-D) with wooden body, natural colour or brown-stained

Area of application generally	Dedusting, cleaning
-------------------------------	---------------------

Dimensions [mm]				Rows	Pack. Qty.	Korfil-D (varnished)	Korfil-D (natural)	Korfil-D (extra large)
T	L	B	Item No.			Item No.	Item No.	
75	400	60	6x36	1	0001-104 924	0001-104 925	9711-104 925	
70	700	70	7x27	1				

Sonstiges



Display box, neutral, empty

Area of application generally	Fill the power-selling OSBORN display box just as you like!
-------------------------------	---

Dimensions [mm]				Pack. Qty.	neutral, empty	
A	T	L	Item No.			
22	12	37	1	6095-300 198		

- Brazil
- China
- Denmark
- France
- Germany
- Great Britain
- Mexico
- Portugal
- Romania
- Spain
- Sweden
- United States of America

ISO 9001-2000 Certified Quality System

OSBORN INTERNATIONAL GmbH
Manufacturer of Industrial Brushes,
Surface Finishing Tools
and Load Runners

Ringstraße 10
35099 Burgwald, Germany
Tel. ++49 (0) 64 51/ 5 88-0
Fax ++49 (0) 64 51/ 5 88-206
eMail: desales@osborn.com
www.diy-brush.com

OSBORN
INTERNATIONAL

A BRANCH OF JASON GMBH

2025 D 01/06

Subject to technical alterations.